

## U.S. Wheat Associates


### Harvest Report

June 26, 2015

#### Hard Red Winter

The 2015 HRW harvest progressed rapidly this week in most areas of Texas, Oklahoma and Kansas due to favorable hot and dry weather conditions. Harvest in Texas is now 74% complete while Oklahoma is 71% complete and Kansas is 22% complete. Harvest is expected to begin in the next few days in Colorado and Nebraska if the current hot, dry weather continues. Drought and high temperatures have caused early maturity of the HRW crop in the Pacific Northwest. USDA reports that harvest could start as early as next week in parts of eastern Oregon. Hot, dry weather has also caused early maturity of the Montana crop.

An additional 71 samples were reported this week, the majority of which were from Texas and Oklahoma with a few from southern Kansas. With these latest samples the overall average test weight average is 58.0 lb/bu (76.4 kg/hl). However, Kansas wheat producers are reporting much higher test weights as the harvest progresses northward. This week the overall protein value increased to 12.4% compared to last week's average of 12.2% and the 2014 average of 13.3%. Foreign material (0.2%) increased slightly this week compared to (0.1%) last week and the 2014 overall average of 0.1%.

	WHEAT DATA								GRADE FACTORS						<input type="checkbox"/> Final
	Samples		Moisture %	Protein %	Dry Basis Protein %	Dockage %	TKW gm	FN sec	Grade	Test Weight		FM %	Damage %	S&B %	Defects %
	Tested	Expected								lb/bu	kg/hl				
This Week	71	530	12.1	12.4	14.1	0.6			2 HRW	58.0	76.4	0.2	0.6	1.3	2.1
Last Week	35	530	11.7	12.2	13.9	0.5			2 HRW	58.4	76.9	0.1	0.6	1.3	2.0
2014 Final	525	530	11.7	13.3	15.1	0.4	30.7	387	1 HRW	60.7	79.9	0.1	0.5	0.8	1.4

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

#### Soft Red Winter

SRW harvest progressed a little this week in North Carolina, Virginia and Kentucky. Harvest in northern Arkansas is still behind a typical pace, and Illinois, Indiana and Ohio continue to receive heavy rains leaving standing water in many fields. USDA reports 20% of the crop has been harvested in North Carolina compared to 30% last year; Arkansas is 40% complete, Virginia 15% and the remaining states less than 5%.

An additional 76 samples were reported this week which increased the cumulative moisture by 0.4% and decreased the protein by 0.4%. Thousand kernel weight average increased slightly, and falling number value remained about the same as last week. The next week weather forecast should allow harvest to continue in Arkansas, North Carolina and Virginia and to begin in Maryland.

	WHEAT DATA								GRADE FACTORS						<input type="checkbox"/> Final
	Samples		Moisture %	Protein %	Dry Basis Protein %	Dockage %	TKW	FN	Grade	Test Weight		FM	Damage	S&B	Defects
										lb/bu	kg/hl				



	Tested	Expected	%	%	%	%	gm	sec		lb/bu	kg/hl	%	%	%	%
This Week	87	500	12.0	10.4	11.8		30.6	333							
Last Week	11	500	11.6	10.8	12.2		29.1	311							
2014 Final	527	500	13.1	9.9	11.2	0.4	31.8	315	2 SRW	58.1	76.5	0.2	0.9	0.6	1.7

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

### Hard Red Spring

No Data Available

	WHEAT DATA								GRADE FACTORS							<input type="checkbox"/> Final
	Samples		Moisture	Protein	Dry Basis Protein	Dockage	TKW	FN	Grade	Test Weight		FM	Damage	S&B	Defects	DHV
	Tested	Expected	%	%	%	%	gm	sec		lb/bu	kg/hl	%	%	%	%	
This Week																
Last Week																
2014 Final	460	460	12.9	13.6	15.5	0.7	32.7	370	1 NS	60.8	80.0	0.0	0.4	0.7	1.1	60

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

### Soft White

No Data Available

	WHEAT DATA								GRADE FACTORS							<input type="checkbox"/> Final
	Samples		Moisture	Protein	Dry Basis Protein	Dockage	TKW	FN	Grade	Test Weight		FM	Damage	S&B	Defects	
	Tested	Expected	%	%	%	%	gm	sec		lb/bu	kg/hl	%	%	%	%	
This Week																
Last Week																
2014 Final	373	440	9.1	10.9	12.3	0.6	34.1	337	1 SW	60.3	79.4	0.1	0.0	0.7	0.8	

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

### Durum

No Data Available

	WHEAT DATA								GRADE FACTORS							<input type="checkbox"/> Final
	Samples		Moisture	Protein	Dry Basis Protein	Dockage	TKW	FN	Grade	Test Weight		FM	Damage	S&B	Defects	HVAC
	Tested	Expected	%	%	%	%	gm	sec		lb/bu	kg/hl	%	%	%	%	
This Week																
Last Week																
2014 Final	100	108	12.3	13.3	15.0	1.5	38.9	291	2 AD	58.6	76.3	0.0	1.4	1.1	2.5	75.3

Results shown represent all samples collected through this and last week respectively.

**Legend:** Protein = 12% Moisture Basis; TKW = 1000 Kernel Weight; FN = Falling Number; FM = Foreign Material; S&B = Shrunken and Broken; n/a = not available.

---

2008-2013 U.S. Wheat Associates. All Rights Reserved